

## Declaration of performance

**Identification:** Petersen Cover: C, F  
**Intended use:** Clay roofing tiles type Cover for roof covering, external wall cladding or internal wall lining  
**Manufacturer:** Petersen Tegl A/S, Nybølnorvej 14, DK-6310 Broager  
**System:** 3 (voluntary)  
**Notified body:** MFPA Weimar, Coudraystrasse 4, D-99423 Weimar. Test Report-No. B 21.16.125.01 - MFPA Weimar vom 04.08.2016.

### Declared performance:

Essential Characteristics		Performance	Harmonised technical specification
Mechanical resistance properties/flexural strength	EN 538	Pass	EN 1304:2013
External fire performance		Deemed to satisfy	
Reaction to fire		A1	
Water impermeability	EN 539-1	Pass category 1 test method 2	
Dimensions and dimensional variation	EN 1024	NPD*	
Durability	EN 539-2	Level 1 (150 cycles) according to procedure E	

\*No performance determined. In accordance with EN 1304:2013 section 3.1.1.1 und 4.3.1

Hereby we declare the performance of the described product, in accordance with regulation (EU) No. 305/2011 of the european parliament and council of 9 march 2011.

Signed for and on behalf of the manufacturer by:

Broager, 22.08.2022




CFO Poul M. Kjeldsen

# PETERSEN TEGL

S I N C E 1 7 9 1

PETERSEN TEGL A/S  
NYBØLNORVEJ 14  
DK-6310 BROAGER  
E: INFO@PETERSEN-TEGL.DK  
P: +45 7444 1236  
W: PETERSEN-TEGL.DK

		
NB 1109		
Petersen Tegl A/S, NybølNorvej 14, DK-6310 Broager		
16		
EN 1304:2013		
Clay roofing tiles type Cover for roof covering, external wall cladding or internal wall lining		
Mechanical resistance properties/flexural strength	EN 538	Pass
External fire performance		Deemed to satisfy
Reaction to fire		A1
Water impermeability	EN 539-1	Pass category 1 test method 2
Dimensions and dimensional variation	EN 1024	NPD*
Durability	EN 539-2	Level 1 (150 cycles) according to procedure E

\*No performance determined. In accordance with EN 1304:2013 section 3.1.1.1 und 4.3.1

## UK Declaration of performance

**Identification:** Petersen Cover: C, F  
**Intended use/es:** Clay roofing tiles type Cover for roof covering, external wall cladding or internal wall lining  
**Manufacturer:** Petersen Tegl A/S, NybølNorvej 14, DK-6310 Broager  
**System of assessment and verification of constancy of performance of the construction product:** 4  
**UK approved body:** Not relevant

### Declared performance:

Essential Characteristics		Performance	UK designated standard
Mechanical resistance properties/flexural strength	EN 538	Pass	BS EN 1304:2013
External fire performance		Deemed to satisfy	
Reaction to fire		A1	
Water impermeability	EN 539-1	Pass category 1 test method 2	
Dimensions and dimensional variation	EN 1024	NPD*	
Durability	EN 539-2	Level 1 (150 cycles) according to procedure E	

\*No performance determined. In accordance with EN 1304:2013 section 3.1.1.1 and 4.3.1

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with UK legislation Construction Products Regulations 2019 No. 465, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Broager, 22.08.2022

  
CFO Poul M. Kjeldsen

<b>UK CA</b>		
Petersen Tegl A/S, NybølNorvej 14, DK-6310 Broager		
22		
BS EN 1304:2013		
Clay roofing tiles type Cover for roof covering, external wall cladding or internal wall lining		
Mechanical resistance properties/flexural strength	EN 538	Pass
External fire performance		Deemed to satisfy
Reaction to fire		A1
Water impermeability	EN 539-1	Pass category 1 test method 2
Dimensions and dimensional variation	EN 1024	NPD*
Durability	EN 539-2	Level 1 (150 cycles) according to procedure E

\*No performance determined. In accordance with EN 1304:2013 section 3.1.1.1 und 4.3.1